

EC Declaration of Conformity

Door manufacturer: Teckentrup GmbH & Co. KG
Industriestraße 50
D-33415 Verl-Sürenheide

Products: Doors for the private, commercial and/or industrial sector:
Teckentrup industrial sectional doors:
- SL
- SW
- SLW
- SW80

Applied directives and harmonised standards:

EN 13241-1 Doors – product standard

Additionally for doors with an electric drive:

2006/42/EG EC – machinery directive
2014/35/EU Low voltage directive
2014/30/EU EMC - directive

Tested drives for the aforementioned doors:

Teckentrup	Direct mount drives	TAS1, TAS2, STAI1
	Control	AS 100/130/210, CS100, CS300/310, CS300/310FU, CS300/310AE, CS400, MS400, MS410, TS 12 pro, MS4, TS4 vario, TS11 pro
GfA	Elektromaten	According to GfA report no. 2674/04 (report available from GfA)
MFZ	Direct mount drives	STA1, STAI1, STAC1, MDF
	Control	AS 100/130/210, CS100, CS300/310, CS300/310FU, CS300/310AE, CS400, MS400, MS410, MS4
MTEC	Direct mount drives	SD, SDE, SW, SWE, SDL, SDEL, SWL and SWEL
	Control	UST1

Tested safety edge mechanisms for the aforementioned doors:

The application of GfA drives only in accordance with GfA report no. 2674/04 (report available from GfA).
Teckentrup Ø15mm Fraba/Witt optical sensors with Teckentrup floor seal, Teckentrup VL-Duo
Gelbau Electrical 8.2kΩ safety edge mechanism with minimal 36mm buffer chamber

Registered inspection and certification centres:

TÜV-Nord-Cert GmbH & Co. KG • Am TÜV 1 • D-30519 Hannover
ift-Rosenheim GmbH • Theodor-Gietl-Straße 7-9 • D-83026 Rosenheim
PfB – Prüfbüro für Bauelemente GbR • Lackermannsweg 24 • D-83071 Stephanskirchen

Place, date: D-33415 Verl-Sürenheide, 17.01.2019

Person in charge of the documentation: _____



Kai Teckentrup, Managing Director of Teckentrup GmbH & Co. KG