

# CARTECK GARAGE DOORS

Comfortable, safe, beautiful.





# Always the best solution – Your solution

Are you looking for a new garage door for your home? We definitely have the right door for your future investment. Why? Because we always ask ourselves: What is the best solution for you? CarTeck garage doors are known for maximum reliability, state-of-the-art technology, a wide variety of designs, well thought-out security and a wide range of services.

## Advantages of our garage doors

- ✓ Continuous 40 mm thick door leaf
- ✓ Highly stable and thermally insulated
- ✓ Doors up to 3000 mm high, width up to 6250 mm\*
- ✓ TÜV-tested burglary resistance
- ✓ With convenient drive technology
- ✓ Extensive range of accessories (e.g. light barriers)
- ✓ Current trend colors at a reduced price
- ✓ RAL colors of your choice
- ✓ All surfaces with final coating
- ✓ Also with side/wicket doors

MADE  
IN  
GERMANY



### We take it one step further: Our quality promise.

We are „Made in Germany“. For more than 80 years we have been developing and manufacturing our products exclusively in Germany. This ensures top quality and reliable operation - for years to come. Guaranteed!

You will find our warranty terms and conditions at: <https://www.teckentrup.biz/en>



10 years warranty on all CarTeck steel sectional doors



5 years warranty on Teckentrup drives



# Individual design tailored to your wishes

Only perfected details make products excellent and durable. With this in mind, we combine functionality with aesthetics and incorporate innovative technology in sophisticated design. Thanks to a wide variety of designs, there is plenty of scope for your creativity. Design a garage door according to your wishes by combining embossing, surface structure and colour. Additional glazing brings more light into the garage and also sets design accents.



## Colour

Our wide range of colours allows you to match the colour of your new garage door to the style of your house: RAL colours of your choice, trend colours, metallic shades or attractive wood decors - no wish remains unfulfilled.

## Surface

Design a garage door with character by choosing embossing and surface structure. Choose from different embossings such as smooth, wood-grain or micro-profiling and from different types of ribs or georgian looks.

## Glazing

With glazing in the garage door, you provide a clear view and natural daylight. Whether as a harmonious integration or as a deliberate contrast - matched to your façade, windows or doors - glass elements have a significant influence on the overall architectural design.



Available  
from 2021

## XXL-garage door

Besides the visual appearance, there are almost no limits to dimensions either. From now on we offer our garage doors also up to a width of 6250 mm. This width also meets the requirements for large cars and provides an impressive and powerful appearance.


# When time is of pressing importance: Wicket and side doors

Open the entire garage door to just get the bike out? You can do that, but you don't have to. It's easier with wicket doors or side doors. Which door is best for you depends entirely on your needs and the space available.



## Side door

If your garage has a second entrance or if you are planning to have one, then order a side door with the same design. Whether bicycle or wheelbarrow- through the sectional side door nothing prevents unhindered passing.



## Wicket door

If there is no room for a side door next to the sectional door, a wicket door allows you to enter the garage without opening the actual garage door. It protects against heat loss, as it is not necessary to open the whole door when entering. Wicket doors can only be used for doors with a drive and are always located in the middle of the door.

## Our optimised wicket door

We optimised our wicket door according to our standard "Design meets safety". The results: A virtually flush look as well as a high-quality finish in anodised aluminium. In addition, it scores points with concealed internal 2D hinges, a 3-fold locking and increased burglary protection.

- Frame made of high-quality aluminium profiles
- Door identical in appearance to the garage door
- Double door seal
- Aluminium lever handle set with 3-way locking (optional)
- With overhead door closer
- Increased safety through finger pinch protection
- Low threshold 45 mm with continuous floor seal against dirt and driving rain



Flush optic

# Pure comfort: Go for that something extra

An electric garage door drive allows you to control the opening and closing of your garage door with a hand-held-transmitter conveniently from your car. This is particularly advantageous in unpleasant weather conditions or in darkness. The CarTeck garage door drives are „Made in Germany“ and can be used universally for sectional doors and up-and-over doors. You can equip your new door safely and conveniently with intelligent accessories such as hand-held transmitters, light barriers, LED lighting or humidity sensors.



## LED it shine

Quick and easy to install, the magnetic Teckentrup LED strips bring optimum brightness to your garage and make it a completely safe place. Additional convenience is provided by the motion detector which automatically switches the light on and off. Benefit from perfect lighting with low power consumption. Simply unpack, click and switch on. And that's it.



## Teckentrup drives convince with a wide range of accessories, e.g.

- Shock resistant hand-held transmitter
- Parking position laser
- Additional lighting
- Humidity sensor
- Emergency power supply
- Safety light barriers
- Motion Sensor
- Alarm buzzer

Smart-  
Home-  
solutions



# Better safe than sorry. For sure.

Burglar-proof? Functionally secure? Reliable? Why not everything!  
No problem with a Teckentrup garage door.




## Burglar resistance

CarTeck sectional doors are tested for their resistance to burglary - the TÜV seal proves increased protection.



## Finger pinch protection

The finger pinch protection prevents dangerous opening slits between the sections. Hinge flaps completely seal the centre hinges. Lateral protection also prevents inadvertent contact inbetween frame and guide rail.



## Tight all around

When closed, vertical frame seals, lintel, centre and bottom seals close the door on all sides. The garage is thus better protected against driving rain and penetrating moisture. In addition, the 40 mm thick door leaf ensures optimum thermal insulation and minimised energy loss.



Lateral seal



Centre seal



Bottom seal



# Your requirements - our service for you

## Service all around

Just like our CarTeck garage door, our service is always a precision landing. And that means: You get exactly the service you need - regardless whether a renovation solution is required or your new building still lacks the right door.

Your certified Teckentrup specialist dealer will be happy to advise you on site, take measurements, install the new door and dispose the old door professionally for you. Your new CarTeck garage door can be installed quickly and easily thanks to special mounting and fascia sets. By adapting the door exactly to existing dimensions, we can respond to every installation situation with a perfect fit. Even fragile brickwork can be elegantly concealed.



Rely on tested safety.



## Maintenance and care

With the CarTeck garage door, you are acquiring a quality product which is characterised by its durability. We therefore also recommend for the private sector what has long been a requirement for commercial use: annual maintenance. We support you with the care and maintenance of your new door - our specialist trade partners will check your garage door reliably and professionally. So that you can enjoy it for a long time and safe door operation is guaranteed.

# Your advantages at a glance.

OVERVIEW									
OPTICS	Ribbed and Centre-ribbed				Unribbed				Georgian
SURFACES	woodgrain	stucco	micro-profile	smooth	woodgrain	stucco	micro-profile	smooth	woodgrain
Trend colours	■	■	■	■	■	■	■	■	■
Wood decors	-	-	-	■	-	-	-	■	■
Approx. 200 RAL colours	■	■	■	■	■	■	■	■	■
Glazing variants	7	7	7	7	9	9	9	9	4
Design applications	-	-	-	-	-	-	-	8	-
Burglar resistance	standard				standard				standard
Finger pinch protection	standard				standard				standard
4-sided sealing	standard				standard				standard
Multiple spring duct	standard				standard				standard
High performance springs	optional				optional				optional
Corrosion protection	standard				standard				standard
Multiple spring double rope system	standard				standard				standard
Patented excenter roller retainer	standard				standard				standard
Wicket door	optional				optional				-
Side door	optional				optional				optional
Handle sets	optional				optional				optional
TECHNICAL EQUIPMENT									
Ordering size width/height in mm (modular dimension)	B 2000 mm - 5500 mm (as of 2021: up to 6250 mm) / H 1875 mm - 3000 mm, maximum door dimension is weight-dependent								
Installation in	Concrete, masonry, aerated concrete, timber frame								
Door leaf	Individual double-walled door sections made of galvanised sheet steel, construction depth of the sections 40 mm, PU-foamed, garage door with 4-sided all-round seal								
Door leaf thickness	40 mm								
Burglar resistance	TÜV-tested according to ttz directive								
Finger pinch protection	inside and outside according to DIN EN 12604								
Wicket door	Wicket door with low threshold, opening outwards								
Smart-Home	Smart integration of the garage door possible via the homee system								

Further information, configurators and current offers can be found under <https://www.teckentrup.biz/en/garage-doors>



WE ARE HAPPY TO ADVISE YOU!